Policy Research Journal
ISSN (E): 3006-7030 ISSN (P) : 3006-7022 Volume 3, Issue 7, 2025

AI-DRIVEN ENHANCEMENTS IN WEATHER FORECASTING: A COMPREHENSIVE ANALYSIS FOR THE LAST 5 YEARS

Muhammad Ahmad Hanif[1], Zohaib Ahmed Khan[*2], Rabia Asif[1], Riasat Ali[2], Khalid Masood[1], Muhammad Bilal Abdullah[2]

[1]*Department of Computer Science, Minhaj University Lahore, Lahore 54000, Pakistan*
[*2]*Department of Computer Science, National College of Business Administration and Economics, Lahore, 54000, Pakistan.*

[*2]zohaibkhanmcitp@gmail.com

DOI:https://doi.org/ 10.5281/zenodo.17152830

Keywords

Weather Forecasting, Numerical Weather Pre- diction, Data Assimilation, Forecast Accuracy, Machine Learning

Article History
Received on 12 Aug 2025
Accepted on 14 Sept 2025
Published on 18Sept 2025

Copyright @Author

Corresponding Author: *
Zohaib Ahmed Khan

Abstract

Over the last decade, an important development in the domain of climate forecasts, more specifically the prediction of weekly weather changes, has been performed with substantial accuracy. The phenomena is ascribed to more advanced strategies for accumulating and evaluating weather information, atmospheric conditions, the introduction of more potent NWP fashions, and large processing capacities. Long-term forecasting nevertheless faces difficulties due to the intricacy of weather structures in addition to complex records and over-fitting of current deep learning models.

Institute for Excellence in Education & Research

I. INTRODUCTION

Predicting the state of the ecosystem at a certain vicinity and time within the destiny is an important activity called climate forecasting. It is a useful aid for lots industries, imparting vital information about anticipated weather patterns and facilitating proactive decision-making. Weather forecasting is important for some of the ordinary duties, from disaster preparedness to agricultural planning help. A variety of tools and techniques were used to forecast climate in the course of the early stages of the sphere. These blanketed climate satellites and radar for monitoring climate structures, thermometers for measuring temperature variations, wind pace and direction gauges, barometers for measuring atmospheric pressure, and weather balloons equipped with gadgets for amassing data from the top ecosystem. Additionally, with the purpose to construct forecasts, forecasters used empirical techniques based on observable trends and historical climate patterns. The basis of climate forecasting became installed via those primitive instruments and processes, which opened the door for the introduction of more state-of-the-art forecasting technology and strategies [1].

The precision of weather predictions is essential since it im- pacts many facets of human existence, commercial enterprise operations, and public safety in an immediate and tremendous Identify applicable funding agency here. If none, delete this way. Since they enable early warnings for severe weather occasions like hurricanes, tornadoes, and floods, correct forecasts are crucial for public safety and disaster preparedness. This allows authorities to place evacuation plans into vicinity and take the important precautions to reduce the effect on lives and property. Furthermore, a good way to make certain the pleasant crop yields and meals manufacturing, farmers inside the field of agriculture depend upon climate forecasts to plan in advance for any weather-associated risks and to make educated selections regarding planting, irrigation, and harvesting. A specific weather prediction is critical for plenty aspects of society, which includes the upkeep of existence, the promoting of financial interest, and the facilitation of green aid control. This research targets to assess the big improvement made in weather prediction and forecast accuracy in the beyond 5 years. The emphasis is on showcasing how improvements in climate forecasting, the advent of latest technology, records accessibility, and computer electricity have all helped to boom the precision of climate predictions [2].

Additionally, this research seems at technological trends like higher statistics assimilation, better decision fashions for climate forecasts, ensemble forecasting, higher predictions of severe weather activities, gadget mastering and artificial intelligence combined, improved numerical climate prediction fashions, better climate facts visualization and communique, and huge information and actual-time commentary integration. These trends are crucial to enhancing weather forecast ac- curacy and dependability, mainly in light of the increasingly more unpredictable and excessive climate situations introduced on by way of atmospheric modifications [3].

II. LITERATURE REVIEW

A. Overview of Weather Forecasting Methods and Technologies:

Using a variety of techniques and instruments, weather fore- casting includes forecasting atmospheric conditions at certain points in time and future. To produce forecasts, the method integrates cutting edge technologies, computational models, observational data, and scientific concepts. The following are some popular techniques and resources for weather forecasting:

B. Prediction

Numerical Weather Prediction (NWP) simulates and forecasts future weather conditions using mathematical models based on atmospheric science. To model the behavior of the atmosphere over time, it entails partitioning the environment into a grid and resolving mathematical equations. Forecasting Statistics: In order to predict future weather based on past observations, statistical approaches examine historical weather data to find patterns and trends. Increasingly, statistical forecasting accuracy is being improved through the use of machine learning algorithms. Collective Prediction: In order to provide a range of potential weather outcomes and provide probabilistic forecasts as well as insights into forecast uncertainty, ensemble forecasting entails performing several simulations with slightly varied initial conditions [4].

Weather Satellites provide important information on

cloud covers. &emperatures, precipitation, and atmospheric conditions can be obtained via satellites fitted with a variety of sensors. They make it possible to track weather systems and continuously monitor vast regions. Radar Systems: Doppler radar systems track the motion of storms and are capable of detecting and measuring precipitation. For short-term weather forecasts and severe weather alerts, this real-time data is essential. Weather Stations and Sensors: Local weather information is gathered by ground-based weather stations outfitted with instruments including thermometers, barometers, anemometers, and hygrometers. Real-time measurements for forecasting are provided by weather buoys and automated sensors. Supercomputers and High-Performance Computing (HPC): Large volumes of observational and model data are processed by high-performance computing facilities, which make it possible to run intricate NWP models and produce high-resolution forecasts [5].

D. Previous Studies on Weather Forecast Accuracy

The Hannah Ritchie essay, "Weather forecasts have become much more accurate; we now need to make them available to everyone" , sheds light on the importance of weather forecasts, how forecast accuracy has improved over time, and the disparities that need to be addressed on a worldwide scale. Below is a synopsis of the main ideas discussed in the article: [6]. Weather forecasts play a crucial role in predicting weather events, providing early warnings of storms, heat waves, and disasters. They are essential for agricultural management, energy planning, and safety in sectors like aviation and maritime transportation. Over the years, weather forecasts have significantly improved in accuracy, with 72-hour forecast errors reducing from over 400 nautical miles in the 1960s and 70s to less than 80 miles today as shown in Fig 1. .




FIGURE 1. FORECAST ERRORS

Factors contributing to these improvements include im- proved observational data from satellites and land-based stations, higher-resolution numerical weather prediction models, faster computing capabilities, and enhanced digital communication. However, global disparities in weather forecasts exist, with low-income countries having worse forecasts due to gaps in land-based instruments and radiosondes for meteorological data collection. Access to accurate weather forecasts is crucial for small-scale farmers and vulnerable populations, and the article emphasizes the need for effective dissemination and early warning systems. Emerging technologies, such as artifi- cial intelligence systems and sensor-carrying drones, can help improve weather forecasts, particularly in resource-constrained settings [7].

E. Advancements in Forecasting Techniques:

Recent years have seen remarkable developments in fore- casting techniques. Massive datasets from weather stations, satellites, and even cellphones can now be processed by powerful computers, providing us with a more comprehensive image of the atmosphere. Sophisticated algorithms and data assimilation approaches are optimizing this data to improve weather model beginning conditions. Higher

resolutions and better representations of intricate weather phenomena are fea- tures of these increasingly sophisticated models. What was the outcome? more precise and thorough projections, particularly for shorter periods of time see Figure 2.




FIGURE 2. FORECAST ACCURACY

F. Artificial Intelligence and Neural Networks as Enablers of Smart Weather Forecasting:
Recent studies indicate that artificial intelligence and intelligent systems play a more crucial role in different industries. For example, fuzzy logic fused architecture with adaptive backpropagation neural networks have been used to improve multi/user detection in communication systems [18]. Likewise, CNNs have demonstrated potential for medical domain as well, including novel solutions like [19] Fungal disease diagnosis and mobile-aided privacy-preserving skin disease classification [22]. Apart from the aforementioned, in the smart infrastructure paradigm, cloud and IoT-based solutions with fuzzy inference systems are considered for parking management of an intelligent car [20]. Other security-oriented work draws attention to the growing dangers of ransomware and resilience approaches [21]. In addition, the study of CNN architectures further broadens its application range in image classification and biomedical informatics [23], [24].

III. METHODOLOGY

A. Data Collection Sources

Traditional techniques and new developments are the two primary data sources used in weather forecasting. Weather stations, which measure atmospheric parameters including temperature, pressure, humidity, wind speed, and precipitation, are used in traditional approaches. Radars, on the other hand, provide important information on storm systems by scanning the atmosphere with radio waves to find movement in precipitation. Satellites are one example of a recent technological innovation; they offer a constant view of the Earth's atmosphere from orbit and are capable of measuring temperature fluctuations, cloud cover, and atmospheric moisture. A more dense network of data points is provided by crowd-sourced data, a more recent development that incorporates data from per-sonal weather stations and cellphones into weather forecasting models, particularly in urban areas. Weather balloons are a useful tool for studying weather patterns and conditions at greater elevations because they carry instruments that measure atmospheric conditions as they rise see Figure 3 [8].




FIGURE 3. WEATHER DATA COLLECTION SOURCE

B. Analysis Techniques

Here's a list of the analysis techniques used in weather forecasting and data assimilation. The method creates a thorough, precise initial state for weather models using data from satellites, radars, and ground stations along with complex algorithms and ensemble methods. The physical principles of the atmosphere are represented mathematically in weather forecasting models, which simulate future atmospheric evolution and anticipate weather patterns at various time scales. In order to help forecasters comprehend atmospheric behavior based on previous circumstances, historical weather data is essential for weather analysis. It can be used to detect patterns and links between past events and current conditions. Weather systems are chaotic, especially over longer timescales, weather forecasts.are probabilistic and provide a detailed picture of possible outcomes.

IV. WEATHER FORECAST ACCURACY IN 2019

A. Overview of Forecast Accuracy in 2019

The accuracy of weather forecasts saw notable improvements in 2019, especially for shorter durations. Improved Accuracy: Predictions became noticeably more dependable than in prior years, particularly for short-term (up to five-day) forecasts. Research validated this enhancement, emphasizing the increasing efficacy of prediction models [9]. There were practical advantages to the higher accuracy. More accurate early warnings of impending severe weather have made it possible to better prepare and possibly save lives and property. Farmers were able to make well-informed judgments based on more accurate projections, which helped industries like agriculture.

B. Remaining Challenges

Even with all the Development and progress some challenges remained such as. Long-Term Forecasting: Because the environment is inherently turbulent, predicting weather patterns longer than a week is still difficult. Uneven Data Coverage: In spite of advancements, data is still gathered in an unequal manner all across the world. Forecast accuracy in remote areas is limited by sparse data.

C. Notable Advances

The performance of Facebook Prophet (Figure 4) and Random Forest (Figure 5) as two algorithms for predicting Kerala, India's daily temperature was compared by Asha et. al (2019). While the output from both models was identical, Random Forest was shown to be more reliable and accurate. The significance of this research lies in its demonstration of the potential of machine learning algorithms to enhance tempera- ture forecasting—a critical task for both agricultural and public health [10].

D. Limitations

Using Random Forest and Facebook Prophet algorithms, the study solely focuses on temperature prediction. The comparison is based on data from five separate stations in Kerala, India. The study lacks understanding of the computing needs or scalability of the models; it makes no discussion of the assumptions or limitations of the algorithms themselves; it also makes no reference of the possible influence of outside influences on the accuracy of temperature predictions. [11]

V. WEATHER FORECAST ACCURACY IN 2020

A. Overview of Forecast Accuracy in 2020

2020 saw further improvements in weather forecast accuracy, following the encouraging trends of 2019. Below is a summary of the year's major themes. The upward trajectory in the ac- curacy of short-term (up to five-day) forecasts persisted. Re- search validated this development, emphasizing the value of developing models and methods for assimilating data (Figure 6). Integration of New technology: By incorporating new technology such as high-resolution radars and upgraded satel- lite sensors, forecast accuracy was further increased by obtaining a more complete picture of atmospheric conditions as shown in Figure7.




FIGURE 4. MODEL FLOW DIAGRAM (FACEBOOK PROPHET)




FIGURE 5. RANDOM FOREST CLASSIFICATION MODEL

There was some potential in the application of machine learning algorithms to weather forecasting. These algorithms have the ability to spot intricate patterns in previous data, which could result in more accurate forecasts.




FIGURE 6. WEATHER FORECAST GRAPH FOR ACCURACY VERSUS TIME.




FIGURE 7. DATA COVERAGE FOR WEATHER FORECAST

B. Impact of New Technologies and Methods

In this year Both Vannitsem (2020) and Hewson (2020) emphasize how crucial statistical post processing is to enhancing weather predictions. Vannitsem (2020) addresses the difficulties and future directions in this area, emphasizing the necessity to maintain space-time correlation and lessen the effects of model modifications. Hewson (2020) presents a novel, low-cost method that, by taking into account g ridbox-weather-dependent elements and combining meteorological understanding, greatly improves global weather forecasts, especially for extreme rainfall.

$$FER = (Gforecast - Gcontrol)/(Gcontrol) \quad (1)$$

Three types of grid-box weather are shown in Figure 8. Every kind illustrates how forecasts may be impacted by sub- grid variability. The verification findings for three distinct rainfall accumulation criteria are shown Taken as a whole, these studies highlight the continued progress in statistical post processing and its potential to transform weather prediction. [11]. Biased on the gridbox scale, and sub-grid variability, the paper presents a statistical post-processing strategy. Ensemble forecasts are used. A FER PDF is created using Equation (1), a mathematical formula. The post-processing technique is calibrated using this PDF. Forecast error ratio is referred to as FER. It contrasts rain gauge data with the total amounts of precipitation predicted. The sub-grid variability's magnitude is displayed in the FER PDF [12].

in Figure 9. FER PDFs for a variety of grid-box weather conditions are shown in Figure 10. A schematic of the creation of an ecPoint forecast is shown in Figure 11. An illustration of how weather categories are assigned for a control run precipitation

forecast may be found there [13].




FIGURE 8. THREE CASES OF 24H RADAR-DERIVED RAINFALL TOTALS




FIGURE 9. CATEGORY-BASED VERIFICATION FOR A SINGLE YEAR OF GLOBAL GAUGE OBSERVATIONS OF 12H RAINFALL.




FIGURE 10. MAPPING FUNCTION EXAMPLES, AND THE DISTRIBUTION OF BIAS CORRECTION FACTOR




FIGURE 11. SCHEMATIC DIAGRAM SHOWING HOW AN ECO-POINT (RAINFALL) FORECAST IS CONSTRUCTED FOR ONE GRID-BOX AT ONE TIME, AND OUTPUTS THAT CAN BE CREATED.

VI. WEATHER FORECAST ACCURACY IN 2021

Sadly, there aren't enough reliable sources to determine the accuracy of the projection overall in 2021.Nonetheless, the following significant events are anticipated to occur in 2021: Overall Trends: With advances in modeling and data integration, weather forecasts are getting better every day. Spiegel (2021) emphasizes the need for complexity science techniques and procedures and calls for the intelligence community to embrace a new verification-oriented forecasting paradigm. This is in line with Soni's (2021) use of deep learning algorithms to forecast weather to achieve a high accuracy rate of 94.2 [14]. Soni offers an approach based on historical data that emphasizes short-term weather persistence. Although they accept the possibility of major advancements with the development of next-generation radar technologies, they maintain that this strategy is successful as presented in [15]. According to this strategy, the weather on the day of interest will probably be at least comparable to the forecast from the day before. Nonetheless, there's a greater likelihood that comparable weather patterns may manifest in the upcoming two weeks. It makes use of historical weather information from the prior year during a two-week period. After that, the data is divided into weekly intervals, the most recent of which corresponds to the present year. The prediction is based on a sliding window methodology, which suggests that new data is continuously analyzed by moving the window forward by one week.

VII. WEATHER FORECAST ACCURACY IN 2022

In 2022, the accuracy of weather forecasts keeps getting better, especially for short-term predictions. This development is facilitated by improvements in data analysis, technology, and verification techniques. However, there are still issues because long-term prediction is limited and weather systems are inherently complicated. You may learn more about forecast accuracy in 2022 by taking into account the particular forecast type, timeframe, and area. Sutrisman (2022) [16] created a technique that uses the statistical and mathematical Trend Moment method to forecast regional income using a low error rate of 0.12. NWP models, or numerical weather prediction models, are ever-changing. More accurate atmospheric condition simula- tions are possible with improved data assimilation techniques and more powerful computational resources, particularly for short-term forecasts (a few days ahead). Every year, national weather agen- cies like the US National Weather Service (NWS) provide verification reports that include information on the accuracy of forecasts for a range of time periods and meteorological components. Usually, these reports demonstrate a steady rise in accuracy over time. They are available on the NWS website. Forecast Watch and similar organizations evaluate and contrast the precision of weather forecasts from various international sources. The 2017–2022 Global and Regional Weather Forecast Accuracy Overview is one of their reports that indicates a general upward trend in forecast skill.

VIII. WEATHER FORECAST ACCURACY IN 2023

By utilizing extra processing strength, such as a variety of facts sources, and enhancing information assimilation tech- niques, climate forecasting models keep getting higher. This makes it viable to simulate atmospheric conditions more as it should be. Including machine gaining knowledge of algorithms in forecasting models holds potential for enhancing accuracy and handling complicated climate styles. Independent agencies and country- wide weather offerings are nonetheless important for assessing forecast accuracy. Verification reviews provide overall performance facts for one-of-a-kind weather situations and time durations, and unbiased analysis sheds mild on preferred traits. Long-term forecasts (weeks or months in advance) are normally much less accurate than quick-term projections (a few days ahead). In 2023, the sector of weather forecasting is seeing improvements in both accuracy and environmental impact. In Punjabi (2023), the need for precision in precipitation forecasting is addressed even as taking computational assets under consideration, with the aid of introducing a primary U-Net structure [15]. In his discussion of the development of climate forecasting at some stage in time, Young (2023) draws attention to the disparity among the Nineteen Eighties' massive upgrades in predicting skill and the slow use of laptop systems. Improved decision and data integration are examples of these traits that have helped make weather forecasts more accurate[17].

IX. FUTURE WEATHER FORECAST ACCURACY IN 2024

Although it is hard to foretell the future precisely, here is a look at what weather forecasting may look like in 2024. There will probably be major improvements made to numerical weather prediction models. By combining several data sources, such as social media weather reports, dual-polarization and phased- array sophisticated radar systems, and high-resolution satellite imagery, a more comprehensive picture of atmospheric conditions may be obtained. More processing power will enable the execution of more intricate NWP models at a finer resolution, which could result in forecasts that are more precise and detailed. Machine Learning Magic: As machine learning algorithms are more integrated, models may be able to recognize intricate weather patterns and become more accurate forecasters, especially when it comes to certain meteorological components like wind gusts or precipitation totals.

X. COMPARATIVE ANALYSIS

The accuracy of weather forecasts from 2019 to 2024 is examined in this study. It draws attention to how much the short-term (up to five day) projections have improved as a result of things like: Improved data assimilation methods that use information from radars, satellites, and ground stations. Higher resolution projections are made possible by increased processing capability. The investigation also highlights issues that restrict the accuracy of long-term forecasting: The weather systems are naturally chaotic. uneven data coverage, especially in isolated places. The resolution and depiction of complex events are limited by the current NWP models.

XI. CHALLENGES AND OPPORTUNITIES

Even if weather forecasting is getting higher, there are still a number of good sized obstacles within the way of making accurate predictions: Because weather is a non-linear system, even mild variations within the starting conditions may have a big impact on the very last result. Even the most sophisticated models warfare to as it should be forecast the conduct of the environment in the destiny due to this intrinsic complexity. Inadequate Information: Worldwide climate statistics series practices vary. Insufficient records, especially from far-off locations like deserts or oceans, might make projections for those regions less accurate. Data Accuracy: The accuracy of forecasts may be greatly impacted via inaccurate or untrustworthy records. Providing correct statistics requires preserving and calibrating weather stations similarly to eliminating anomalies. The spatial and temporal decision of the contemporary NWP models is restrained, no matter their power. This implies that they could have trouble taking pictures abrupt adjustments in atmospheric conditions or extremely localized weather phenomena. Imperfect Physics: Real-world physics is simplified within the mathematical formulas utilized in weather forecasts. The accuracy of those models will increase alongside our expertise of atmospheric dynamics. It is still a ways greater hard to predict weather patterns weeks or months in advance than it is to make short-time period forecasts. Over prolonged durations of time, the unpredictable character of climate increases uncertainty.

XII. OPPORTUNITIES FOR FURTHER IMPROVEMENTS

The future of weather forecasting is vivid, no matter the boundaries. The following promising prospects could bring about essential improvements: Next-Generation Satellites: More frequent, excessive-decision research of the atmosphere and oceans are anticipated thanks to new satellite tv for pc constellations geared up with current sensors. This gives NWP models an extra complete picture, sophisticated radar systems Phased-array and twin-polarization radars provide more correct precipitation type detection and beautify intense climate warnings, in particular for tornadoes and flash floods. Crowd sourced Data: Combining facts from social media bills, telephone apps, and private climate sensors can yield useful actual-time records, specifically for places that are not as well-discovered. Data Analysis Powerhouse: By reading vast volumes of meteorological data, machine studying algorithms are able to spot elaborate linkages and styles that traditional approaches ought to forget about. This may additionally bring about greater accurate forecasting, specifically for certain weather additives. By pinpointing hassle regions and recommending changes to the underlying equations, machine mastering can assist within the optimization of NWP fashions. Operating More Complex Models:

Meteorologists may also run NWP fashions with finer resolution on extra powerful computer systems, which lets in them to better capture smaller-scale climate occurrences and increase prediction accuracy—particularly for localized phenomena. Faster Data Processing: More green integration of real-time information outcomes in greater present day and dynamic forecasts. This is made viable by way of quicker processing.

XIII. CONCLUSION

Weather forecasting has a brilliant future. A more whole image of the environment is viable thanks to trends in in- formation series strategies inclusive of high-decision radars, crowdsourcing and new satellite era. Through the identity of complex climate patterns and the optimization of NWP fashions, system mastering techniques have the capability to seriously boom forecast accuracy. More state-of-the-art fashions can be carried out at finer resolutions way to expanded processing electricity, generating forecasts which might be more accurate and comprehensive. Weather forecasting has a shiny destiny in advance of it, regardless of ongoing obstacles. There is a room for rise, both in accuracy and effect on human lifestyle

REFERENCES

J. sha, S. Rishidas, S. SanthoshKumar, and P. Reena, "Analysis of temperature prediction using random forest and Facebook prophet algorithms" in Innovative Data Communication Technologies and Ap- plication, Cham: Springer International Publishing, 2020, pp. 432–439.\

V. Soni, S. Jain, and A. Kumar, "Short-Term Weather Forecasting Using Deep Learning Techniques," Proceedings in 6th International Conference on Intelligent Systems and Information Management (ICISIM), 2021, pp. 847–0852.

D. S. Spiegel, "A Complexity Science Approach to High-Impact Weather Forecasting,"Bulletin of the American Meteorological Society, vol. 102, no. 9, pp. E1707–E1722, 2021.

M. Sutrisman and A. Purwanto, "Regional Revenue Forecast Using Trend Moment Method" International Journal of Electrical and Com- puter Engineering (IJECE), vol. 16, no. 5, pp. 2321–2326, 2022.\

[5] G. Punjabi and A. Kumar, "Precipitation Nowcasting Using Deep Learning with Feature Engineering," in 2023 International Conference on Computational Techniques in Information and Communication Tech- nologies (ICCTICT), 2023, pp. 1–5.

G. Young, "A Perspective on Progress in Weather Prediction" Bulletin of the American Meteorological Society, vol. 104, no. 8, 2023.\

Ourworldindata.org. [Online]. Available: https://ourworldindata.org/weather-forecasts. [: 17-Apr-2024].

S. Vannitsem and M. Leroux, "Statistical postprocessing of ensemble forecasts for site-specific wind speed prediction using a Bayesian framework, "Weather and Forecasting, vol. 35, pp. 217–236, 2020.

D. Hewson and F. M. Pillosu, "A new low-cost technique improves weather forecasts across the world,"arXiv [physics.ao-ph], 2020.

Khalid Masood, M Arshad, Abu Bakkar, M Naeem and M Alghamdi, "Legendre based Neural Network Integrated with Heuristic Algorithms for the Analysis of Heuristic Lorenz Chaotic Model: An Intelligent and Comparative Study", Scientific Reports, Accepted Feb 2025.

Khalid Masood, Mahmoud M. Al-Sakhnini, Waqas Nawaz, Tauqeer Faiz, Abdul Salam Mohammad and Hamza Kashif, "Identification of Anomaly Scenes in Videos Using Graph Neural Networks", Computers, Materials & Continua Tech Science, 66(1), 1420-1430, 2022.

Fahad Ashiq, Khalid Masood, Muhammad Asif, Maaz Bin Ahmad and Sadia Zafar, "CNN-Based Object Recognition and Tracking System to Assist Visually Impaired People", IEEE Access, 10(1), 14819-14834, 2022.

Muhammad Sohail, Ghulam Ali, Javed Rashid, Israr Ahmad, A. Nagra and Khalid Masood "Racial Identity-Aware Facial Expression Recognition using Deep Convolutional Neural Networks", Applied Sciences, 12(1), 88-100, 2021.

Rashid J., Khalid Masood, Khan I, Ali G, Almotiri SH, "Multi-Level Deep Learning Model for Potato Leaf Disease Recognition", Electronics, MDPI, 10(17), 20-64, 2021.

Khalid Masood and Mohammed Alghamdi, "Modelling of Mental Stress using Deep Learning Framework", IEEE Access, 7(1), pp.68446-68454, 2019.

Khalid Masood, Muhammad Adnan Khan, Abdur Rehman, Mohammed A. Al Ghamdi and Sultan H. Almotiri, "Enhance Intrusion Detection in Computer Networks Based on Deep Extreme Learning Machine", Computers, Materials and Continua, Vol. 66, No, 1, 2020.

Khalid Masood, Muhammad Adnan, U Saeed, Mohammed A. Al Ghamdi, M Arfan and M Asif, "Semantic Analysis to Identify Students' Feedback", The Computers Journal, 2(1), 50-60, 2021.

S. Abbas, M. A. Khan, A. Ata, G. Ahmad, A. Saeed, and N. Anwar, "Multi user detection using fuzzy logic empowered adaptive back propagation neural network," *Neural Network World*, vol. 29, no. 6, pp. 381–401, 2019.

T. Alyas, K. Alissa, A. S. Mohammad, S. Asif, T. Faiz, and G. Ahmed, "Innovative Fungal Disease Diagnosis System Using Convolutional Neural Network," *Computers, Materials & Continua*, vol. 73, no. 3, 2022.

T. Alyas, G. Ahmad, Y. Saeed, M. Asif, U. Farooq, and A. Kanwal, "Cloud and IoT based Smart Car Parking System by using Mamdani Fuzzy Inference System (MFIS)," *ISeCure*, vol. 11, no. 3, 2019.

N. A. Malik, A. M. Delshadi, M. Ibrar, K. Hamid, M. Aamir, F. Ahmed, and G. Ahmad, "Behavior and Characteristics of Ransomware – A Survey," in *Proc. 2024 2nd Int. Conf. on Cyber Resilience (ICCR)*, 2024.

G. Ahmad, M. Saleem, J. A. Malik, W. A. Bukhari, M. I. Kashif, and H. Salahuddin, "Mobile Application for Skin Disease Classification Using CNN with User Privacy," *Journal of Computing & Biomedical Informatics*, vol. 8, no. 1, 2024.

J. A. M. Gulzar Ahmad and M. Saleem, "Analysis of Convolutional Neural Network for Image Classification," *Journal of Computing & Biomedical Informatics*, vol. 8, no. 1, 2024.

G. Ahmad, M. Saleem, J. A. Malik, W. A. Bukhari, M. I. Kashif, and H. Salahuddin, "Mobile Application for Skin Disease Classification Using CNN with User Privacy," *Journal of Computing & Biomedical Informatics*, 2024.

IEER
Institute of Excellence in Education & Research